

100% guaranteed protection against fleas and ticks.

Flea and Tick Drops for adult dogs and cats, 3 pippets

Drops are intended to protect animals against ectoparasites.

Main ingredient is fipronil, which is used for scaring away and destruction of fleas, ticks and lice at all stages, it is suitable for dogs and cats.

Active ingredient blocks nervous system of ectoparasites, causes their paralysis and death.

Active ingredient does not soak into the blood of an animal and does not affect the nervous system of an animal.

Protection of an animal lasts for 1.5 - 2 months.

Modern convenient pack: polymeric droppers allow easily getting the right dose of drops.

COMPOSITION

100 ml of preparation contains 8, 0 g of Fipronil.

Second ingredients: Propylene Glycol, Glycerine, Isopropyl Alcohol.

Pharmacological properties

Active ingredient of preparation is fipronil, which is a form of phenylpyrazole.

Fipronil affects the nervous system of ectoparasites, but does not affect the nervous system of animals. Fipronil acts on the γ -aminobutyric acid-mediated chloride channels of invertebrates, thereby interrupting nervous transmission and leading to rapid death of the fleas and ticks.

Fipronil contacts the skin, but does not soak into the blood of an animal. After application the preparation is distributed on the surface of the body during 24 hours, accumulates in epidermal skin, sebaceous glands, hair follicles and is realized during the definite time. There is created an effect of reservoir, so long-term activity of fipronil is provided.

Usage

Prevention and treatment of dogs and cats, which have ectoparasites, such as fleas (*Ctenocephalus* spp.), ticks (*Dermacentor* spp., *Rhipicephalus* spp., *Ixodes* spp.), lice (*Trichodectes canis*, *Felicola subrostratus*). Preparation is also effective for ear mange (otoacariasis).

Dosage

Only for external usage. Preparation is applied directly on skin by the pipette on parts, which are not available for an animal: on the withers, along the axis; on the back of the cat's head, on the external ear in such dosage:

(table)

Preparation should be used once. Preventive effect lasts for 1, 5 - 2 months. After this period the preparation can be used again if necessary. For otoacariasis the preparation should be used 2-3 days with an interval of 8-10 days.

Contraindications

Do not use if there is hypersensitivity to fipronil and other content of this preparation.

Do not use on kittens less than 12 weeks old, puppies less than 10 weeks old and with other anti flea and tick preparations.

It is not recommended to use this drops on debilitated, aged, medicated, pregnant or nursing animals.

Cautions

Wash your hands after usage of these drops. To bathe the animal and to stroke the wool is not allowed within 48 hours after usage of preparation.

Form of production

Polymeric droppers of 0, 5 ml (for puppies and kittens), and 1 ml (for adult dogs and cats).

Statement

Should store in the dry place protected from direct sunshine at a temperature from 4 ° to 25 °C.

Shelf life is 1,5 years.

For veterinary medicine